Supplementary Appendix

This appendix has been provided by the authors to give readers additional information about their work.

Supplement to: Qureshi AI, Palesch YY, Barsan WG, et al. Intensive blood-pressure lowering in patients with acute cerebral hemorrhage. N Engl J Med 2016;375:1033-43. DOI: 10.1056/NEJMoa1603460

Supplementary Appendix

A complete list of coordinating centers, investigators and participating sites in the Antihypertensive Treatment of Acute Cerebral Hemorrhage II trial, including sites by enrollment.

(page 2)

Supplementary description 1 (D1). Summary of interim analyses with overwhelming efficacy and futility assumptions

(page 17)

Supplementary description 2 (D2): Method of multiple imputation used to account for missing data

(page 19)

Supplementary Table 1 (S1). Baseline and treatment characteristics of subjects according to treatment group.

(page 20)

Supplementary Table 2 (S2): Adverse events among subjects according to treatment group.

(page 22)

Supplementary Table 3 (S3): Serious adverse events among subjects according to treatment group.

(page 41)

Supplementary Table 4 (S4): Results of analysis performed after grouping the related events (events that represent the same condition of interest by body system) classified using Medical Dictionary for Regulatory Activities (MedDRA) terminology terms (page 48)

Supplementary Figure 1, The CONSORT Flow diagram to demonstrate progress through the phases of the trial

(page 55)

Manual of procedures

Statistical analysis plan

Antihypertensive Treatment of Acute Cerebral Hemorrhage (ATACH)-2

Trial Coordination Center:

Zeenat Qureshi Stroke Research Center, University of Minnesota

Principal Investigator: Adnan I. Qureshi, MD

Haitham Hussein, MD (Consent and CRF Development); Jill M. Novitzke, MPA, BSN, CCM, CLNC (Monitoring Oversight); Cathie Witzel, BA (Administrative Assistance, Editing); Bo Connelly, JD (Project Manager); Saqib A. Chaudhry, MD (Education Development); Emily I. Abbott, JD, CPA (Grants and Contracts, International Liaison); Erik T. Maland, BAN, RN, PHN (Clinical Research Associate and Monitor); Kathryn A. France, BA, RN, PHN, CCRC, CCRA (Clinical Research Associate, Clinical Trial Nurse-Coordinator, Domestic Affairs and Protocol Liaison, Monitor); Basit Rahim, MD (Clinical Tools Design); Zachariah Miller, MA (Communications Coordinator); Alfredo J. Caceres, MD (Central Imaging Reader); Logan J. Brau, BS (Imaging Technician); Mushtaq H. Qureshi, MD (Central Imaging Analyst); Jessy K. Thomas, MS, CCRP (Project Manager); Mohammad R. Afzal, MD (Assistant to Central Imaging Analyst); Norrita Rech, BS, MA, CCRP (Grants and Contracts)

Statistical and Data Coordination Center:

Data Coordination Unit, Department of Public Health Sciences, Medical University of South Carolina

Principal Investigator: Yuko Y. Palesch, PhD

Renee Martin, PhD; and Wenle Zhao, PhD (Co-Investigators); Lydia Foster, MS; and Jaime Speiser, MS (Biostatisticial Programmers); Catherine Dillon, BS (Trials Operations Manager); Jaemyung Kim, MBA (Senior IS Developer); Cassidy Conner, MS; Adam Henry, MPH; Kristina Hill, MPH, MIS (Data Managers); Kristen Clasen, MEd (Regulatory Documents Manager); Christy Cassarly (Graduate Research Assistant)

Independent Oversight Committee

Johns Hopkins University – Division of Brain Injury Outcomes

Daniel F. Hanley, MD (Chair); Carlos S. Kase, MD; and J. Ricardo Carhuapoma, MD (Committee Members); Nichol McBee, MPH, CCRP (IOC Coordinator)

National Institute of Neurological Disorders and Stroke of the National Institutes of Health

NINDS Representatives:

Claudia Moy, PhD (Project Scientist); and Scott Janis, PhD (Program Official)

NINDS-Appointed Data and Safety Monitoring Board:

J. Claude Hemphill III, MD, MAS (Chair); Brian L. Hoh, MD, FACS, FAHA; Mario Zucharello, MD; and Michael K. Parides, PhD (Board Members)

Regional/National Clinical Coordinating Centers

United States:

The Neurological Emergency Treatment Trials (NETT) Network, University of Michigan

William Barsan, MD (NETT Network Principal Investigator); Robert Silbergleit, MD (NETT Network Co-Investigator); Joshua N. Goldstein, MD, PhD (Investigator); Valerie Stevenson, BAS, LRT, CCRP (Administrative Director); Erin Bengelink, MS (Site Manager); Joy Black, BSN, MS (Education Coordinator); Mickie Speers, BSN; Donna Harsh, MS; Carol Van Huysen, BS; Angela Caveney, PhD; and Andrace Deyampert, MSHS (Monitors); Beth Grundman and Allison DuRoss (Research Assistants). Additional NETT hub participants: Jan Claassen, MD (Columbia); Michelle Biros, MD (University of Minnesota); David Wright, MD (Emory University); James Quinn, MD; and Rosen Mann (Stanford University); Jill Baren, MD (University of Pennsylvania); Robert Welch, MD (Wayne State University); Tom Aufderheide, MD; Melissa Mena; and Erica Chopskie (Medical College of Wisconsin); Roger Humphries, MD (University of Kentucky); Monica Mendoza-Moore (University of Texas); Katherine Lamond (University of Pennsylvania); Ryan Callahan and Melissa Howell, (Massachusetts General Hospital); Patricia M. McNelis and Hannah Reimer (Temple University); Ginny Stasinski and Bruce Barnhart (University of Arizona); Ryan McCormick (UCSF); Ana Maria Gomez Ramirez (Ohio State University).

Neurocritical Care Research Network (NCRN)

Jose I. Suarez (Principal investigator)

Japan:

National Cerebral and Cardiovascular Center and Japan Cardiovascular Research Foundation

Kazunori Toyoda, MD, PhD (Lead National Principal Investigator); Haruko Yamamoto, MD PhD (Lead Project Manager); Masatoshi Koga, MD PhD, Shoichiro Sato, MD PhD, and Sohei Yoshimura, MD PhD (coordination for Japanese sites); Mayumi Fukuda-Doi, MD MPH (Regulatory Manager); Kanae Hirase RN, CCRC (Lead Monitor); Shuhei Okazaki, MD PhD (Monitor); Hiromi Ohara, RN, CCRC (Coordinator)

China:

Beijing Tiantan Hospital Clinical Coordinating Center

Yongjun Wang, MD, PhD (Lead National Principal Investigator); Zeyu Ding, MD, PhD (Lead Coordinator); Dandan Wang, MD (Regulatory Specialist); Nannan Xu (Clinical Research Associate)

Taiwan:

China Medical University Hospital Clinical Trial Center of Excellence

Prof. Chung Y. Hsu, MD, PhD (Lead National Principal Investigator); Dana Lin (Lead Coordinator); Mamiko Suzuki (Lead Monitor); Chin-Ting Hsu, Jou-Ping Hsu, and Emma Ho, MS, BSN (Monitors)

Germany:

Coordinating Center for Clinical Trials (KKS), University Hospital Heidelberg

Prof. Dr. Thorsten Steiner, MD (Lead National Principal Investigator); Andrea Seidel-Glätzer, MA, RN (Project Manager); Claudia Simonis, PhD (Clinical Research Associate), Ulrike Berlet, Pharmacist (Clinical Research Associate)

South Korea:

Seoul National University Hospital Clinical Coordinating Center

Byung-Woo Yoon, MD, PhD (Lead National Principal Investigator); Dongjin Yoo, MD (Lead Project Manager); Youngrang Lee, MS (Project Manager); Jae Young Jo, RN (Coordinator); Juri Park, RN (Coordinator); EunHye Hu (Monitor)

Clinical Sites and Site Investigators, by Enrollment

National Cerebral and Cardiovascular Center, Osaka, Japan (79)

Kazunori Toyoda, MD, PhD (Principal Investigator); Kazuyuki Nagatsuka, MD, PhD (Investigator); Kanae Hirase, RN, CCRC (Primary Coordinator)

Beijing Tiantan Hospital, Beijing, China (72)

Yongjun Wang, MD, PhD (Principal Investigator); Zeyu Ding, MD, PhD (Primary Coordinator)

Kobe City Medical Center General Hospital, Kobe City, Hyogo, Japan (53)

Nobuyuki Sakai, MD, DMSc (Principal Investigator); Kenichi Todo, MD, PhD (Investigator); Sakina Yoshihira (Primary Coordinator)

Toranomon Hospital, Tokyo, Japan (38)

Takayuki Hara, MD (Principal Investigator); Mihoko Matsukami (Primary Coordinator)

Taizhou First People's Hospital, Taizhou City, Zhejiang Province, China (37)

Zhimin Wang, MD (Principal Investigator); Jie Chen, MD (Primary Coordinator)

National Taiwan University Hospital, Taipei, Taiwan (36)

Jiann-Shing Jeng, MD, PhD (Principal Investigator); Sung-Chun Tang, MD, PhD; Li-Kai Tsai, MD, PhD; and Shin-Joe Yeh, MD (Co-Principal Investigators); Yu-Ting Wang (Primary Coordinator)

Columbia University Medical Center, New York, NY, USA (27)

Sachin Agarwal, MD, MPH (Principal Investigator); Stephan A. Mayer, MD (Principal Investigator, former, currently Director, Institute for Critical Care Medicine - Icahn School of Medicine at Mount Sinai); M. Cristina Falo, PhD; and Angela Velazquez, MD (Primary Coordinators)

St. Cloud Hospital, St. Cloud, MN, USA (26)

M Fareed K Suri, MD (Principal Investigator); Melissa A. Freese, BSN, RN, CNRN (Primary Coordinator)

Abington Memorial Hospital, Abington, PA, USA (23)

Qaisar A. Shah, MD (Principal Investigator); Karin Jonczak, CRNP; and Patricia Businger, CRNP (Primary Coordinators)

Baylor College of Medicine, Houston, TX, USA (20)

Jose I. Suarez, MD; and Paulina B. Sergot, MD (Principal Investigators); Eusebia Calvillo, RN; and Kelly Rogers Keene, BSN, RN (Primary Coordinators)

Stroke & Neurovascular Center, JFK Medical Center, Edison, NJ, USA (18)

Jawad F. Kirmani, MD (Principal Investigator); Spozhmy Panezai, MD (Co-Principal Investigator); Charles Porbeni, MD; Nnamdi Uhegwu, MD; and Briana DeCarvalho, MSN, RN (Primary Coordinators)

Kaohsiung Veterans General Hospital, Kaohsiung, Taiwan (18)

Ching-Huang Lin, MD; and Yuk-Keung Lo, MD (Principal Investigators); Yi-Ting Hsu (Primary Coordinator)

Guilford Neurologic Associates, Greensboro, NC, USA (16)

Pramod Sethi, MD (Principal Investigator); Rizwan Sabir and Wesley Harbison, RN, MHA (Primary Coordinators)

Kyorin University, Tokyo, Japan (16)

Yoshiaki Shiokawa, MD, PhD (Principal Investigator); Masataka Torii MD, PhD (Primary Coordinator)

St. Marianna University Hospital, Kawasaki, Kanagawa, Japan (16)

Yasuhiro Hasegawa, MD, PhD (Principal Investigator); Yuki Ohta, PhD; and Sachiko Takenoshita, PhD (Primary Coordinators)

China Medical University Hospital, Taichung, Taiwan (16)

Chun-Lin Liu, MD (Principal Investigator); Li-Te Tseng (Primary Coordinator)

Hennepin County Medical Center, Minneapolis, MN, USA (14)

Thomas A. Bergman, MD (Principal Investigator); Gustavo J. Rodriguez, MD (Principal Investigator, former, Currently at Texas Tech University Health Sciences Center of El Paso, TX); Kathryn France, BA, RN, PHN, CCRC, CCRA (Primary Coordinator); and Kathleen Miller, BSN CCRC (Primary Coordinator, former)

Gifu University Hospital, Gifu, Japan (14)

Toru Iwama, MD, PhD (Principal Investigator); Shin-ichi Yoshimura, MD, PhD (Principal Investigator); Yusuke Egashira, MD, PhD; and Toshinori Takagi, MD, PhD (Primary Coordinators)

University Hospital Heidelberg, Heidelberg, Germany (14)

Julian Bösel, MD (Principal Investigator); Perdita Beck (Primary Coordinator)

<u>Department of Neurosurgery, Nakamura Memorial Hospital</u>, Sapporo, Hokkaido, Japan (13)

Kenji Kamiyama, MD (Principal Investigator); Ryo Fujii and Megumi Chiba (Primary Coordinators)

Grady Memorial Hospital, Atlanta, GA, USA (12)

Gustavo Pradilla, MD (Principal Investigator); Alex J. Hall, MS, RN (Primary Coordinator); and Michael P. Lunney, MPH, NRP (Primary Coordinator, former)

Kansas University Medical Center, Kansas City, KS, USA (12)

Katherine Palmieri, MD (Principal Investigator); Abhijit Lele, MD (Principal Investigator, former); Rachel Henning, RN, BSN, CCRP (Primary Coordinator); Stephanie Thomas-Dodson and Angie Ballew (Primary Coordinators, former)

Stanford University, Stanford, CA, USA (12)

Chitra Venkatasubramanian, MBBS, MD, MSc (Principal Investigator); Christine Wijman, MD (Principal Investigator, initial, in memory of); Rosita Thiessen, BA, CCRP (Primary Coordinator); Madelleine Garcia and Ami Okada, PhD (Primary Coordinators, former)

Tokyo Saiseikai Central Hospital, Tokyo, Japan (12)

Haruhiko Hoshino, MD (Principal Investigator); Chiaki Arakawa (Primary Coordinator)

Wuhan Brain Hospital, Wuhan, China (12)

Yuhua Chen, MD (Principal Investigator); Jin Li, MD (Primary Coordinator)

Memorial Hermann - Texas Medical Center, Houston, TX, USA (11)

Tiffany R. Chang, MD (Principal Investigator); Misty Ottman (Primary Coordinator)

Valley Baptist Medical Center, Harlingen, TX, USA (11)

Ameer E. Hassan, DO (Principal Investigator); Olive Sanchez, MSN, RN, BC (Primary Coordinator)

Kohnan Hospital, Sendai, Miyagi, Japan (11)

Eisuke Furui, MD (Principal Investigator); Aki Osanai (Primary Coordinator)

Shin-Kong Wu Ho-Su Memorial Hospital, Taipei, Taiwan (11)

Li-Ming Lien, MD, PhD (Principal Investigator); Hsu-Ling Yeh, MD (Investigator); I-Yu Lee (Primary Coordinator)

Seoul National University Hospital, Seoul, South Korea (11)

Byung-Woo Yoon, MD, PhD (Principal Investigator); Yeo-Jung Chae, and Jae-Young Jo, RN (Primary Coordinators)

<u>UAB Comprehensive Stroke Center</u>, Birmingham, AL, USA (10)

Angela N. Hays, MD (Principal Investigator); Andrei V. Alexandrov, MD (Principal Investigator, former, now Semmes Murphy Professor and Chair, Department of Neurology, University of Tennessee Health Science Center); April Sisson, BSN, RN (Primary Coordinator); and Lynn Merritt, RN (Primary Coordinator, former)

Massachusetts General Hospital, Boston, MA, USA (10)

Joshua N. Goldstein, MD, PhD (Principal Investigator); Gregory Tirrell, MS (Primary Coordinator); Abigail Cohen, Kristen McNamara, and Lauren Barton (Primary Coordinators, former)

St. Marianna University Tokoyo Hospital, Kawasaki, Kanagawa, Japan (10)

Toshihiro Ueda, MD (Principal Investigator); Yoko Kaji (Primary Coordinator)

National Hospital Organization Kyushu Medical Center, Fukuoka, Japan (10)

Yasushi Okada, MD, PhD (Principal Investigator); Asako Nakamura, MD, PhD; and Kouichirou Maeda (Primary Coordinators)

Datong Third People's Hospital, Datong, Shanxi Province, China (10)

Xudong Ren, MD (Principal Investigator); Kang Ye (Primary Coordinator)

University of Bonn, Bonn, Germany (10)

Hartmut Vatter, MD (Principal Investigator); Erdem Güresir, MD (Investigator); Azize Boströem, MD (Investigator, Primary Coordinator)

Ochsner Clinic Foundation, New Orleans, LA, USA (9)

Ifeanyi Iwuchukwu, MD (Principal Investigator); Arash Afshinnik, MD; and Kenneth Gaines, MD (Principal Investigators, former); William Itoua Nganongo (Primary Coordinator)

Temple University Hospital, Philadelphia, PA, USA (9)

Nina T. Gentile, MD (Principal Investigator); Vernon S. Kalugdan, BSN, RN; and Brent Freeman (Primary Coordinators)

Novant Health Research Institute – Novant Health Forsyth Medical Center, Winston-Salem, NC, USA (9)

Benjamin Anyanwu, MD (Principal Investigator); and Chere Chase-Gregory, MD, MHS (Principal Investigator, former); Kevin Colston, LPN, CRC (Primary Coordinator)

Henry Ford Hospital, Detroit, MI, USA (9)

Christopher Lewandowski, MD (Principal Investigator); Joseph B. Miller, MD, MS (Investigator); Shannen Berry-Hymon, RN (Primary Coordinator); Kathleen Mays-Wilson, MS, BSN, RN, CCRP; and Anne Marie Lundell, BSN, RN (Primary Coordinators, former)

University of Pennsylvania, Philadelphia, PA, USA (8)

Steven Messe, MD (Principal Investigator); Nichole Gallatti, MSEd (Primary Coordinator)

National Hospital Organization Nagoya Medical Center, Nagoya City, Aichi, Japan (8)

Satoshi Okuda, MD (Principal Investigator); Kazumi Nakamura (Primary Coordinator)

<u>University Hospitals Case Medical Center</u>, Cleveland, OH, USA (7)

Nicholas Bambakidis, MD (Principal Investigator); Valerie Cwiklinski (Primary Coordinator)

Lehigh Valley Hospital, Allentown, PA, USA (7)

Hermann Christian Schumacher, MD (Principal Investigator, currently Neurohospitalist at Capital Health, NJ); Kathy Knapp, Susan Nabhan, and Leighanne Hartman (Primary Coordinators)

Keio University Hospital, Tokyo, Japan (7)

Yoshiaki Itoh, MD, PhD; Takato Abe, MD, PhD; and Shinichi Takahashi, MD, PhD (Principal Investigators); Mao Okamoto (Primary Coordinator)

National Cheng Kung University Hospital, Tainan, Taiwan (7)

Chih-Hung Chen, MD (Principal Investigator); Ya-Fang Hsueh (Primary Coordinator)

Advocate Christ Medical Center, Oak Lawn, IL, USA (6)

Erik Kulstad, MD (Principal Investigator); Michael T. Stanek, MD (Co-Principal Investigator); Kathleen Hesse, RN, CCRC (Primary Coordinator)

King's County Medical Center, New York, NY, USA (6)

Susan W. Law, DO (Principal Investigator); Helen Valsamis, MD (Principal Investigator, former); Steven R. Levine, MD (Investigator); Bryce Petty, CCRC (Primary Coordinator); Sarah Z. Weingast, Saroj D. Kunnakkat, Bruhati Shah, and Vanessa Arnedo (Primary Coordinators, former)

Baotou Central Hospital, Baotou, China (6)

Yuechun Li, MD (Principal Investigator); Qiang Chen (Primary Coordinator)

Seoul National University Bundang Hospital, Seongnam, Gyeonggi-do, South Korea (6)

Hee-Joon Bae, MD, PhD (Principal Investigator); Joungsim Kim (Primary Coordinator); Juri Park, RN (Coordinator)

Regions Hospital, St. Paul, MN, USA (5)

Michael D. Zwank, MD (Principal Investigator); Tenbit Emiru, MD, PhD (Principal Investigator, former, currently at Hennepin County Medical Center, Minneapolis, MN); Emily Mischel, MA (Primary Coordinator); and Sandi Wewerka, MPH (Primary Coordinator, former)

University of California San Diego, San Diego, CA, USA (5)

Dawn Meyer, FNP-C, PhD (Principal Investigator); Karen Rapp, BSN, RN, CCRC (Primary Coordinator); Nancy Kelly, Ronelyn Chavez, and Teresa Rzesiewicz (Primary Coordinators, former)

Palmetto Health Richland and University of South Carolina, Columbia, SC, USA (5)

Souvik Sen, MD (Principal Investigator); Evelyn Kennedy, MSN, RN, CCRP (Primary Coordinator); Krista Vaughan, RNC; and Selena Lollar, RN (Primary Coordinators, former)

St. Joseph's Regional Medical Center, Paterson, NJ, USA (5)

Dorothea Altschul, MD (Principal Investigator); Avery Katz, MD (Principal Investigator, former); Bogdana Dikovytska, CCRC (Primary Coordinator); and Milicent Titus, CCRP (Primary Coordinator, former)

Martin-Luther University Hospital Halle-Wittenberg, Halle (Saale), Germany (5)

Katja E. Wartenberg, MD, PhD (Principal Investigator); Doreen Herale (Primary Coordinator); and Sandra Seidl (Primary Coordinator, former)

University of Tübingen, Tübingen, Germany (5)

Sven Poli, MD (Principal Investigator); Ulf Ziemann, Florian Härtig, Martin Ribitsch, Hardy Richter, Matthias Ebner, Alexandra Gaenslen (Investigators); Julia Zeller (Primary Coordinator)

Tulane Medical Center, New Orleans, LA, USA (4)

Ramy El Khoury, MD (Principal Investigator), Elizabeth Jones, (Principal Investigator, NETT hub, and site former); Sheryl Martin-Schild, MD, PhD (Investigator); Annie Stell and Cheryl Carmody (Primary Coordinators, former)

Sinai-Grace Hospital, Detroit, MI, USA (4)

Gregory M. Norris, MD (Principal Investigator); Valerie Mika (Primary Coordinator)

Yale - New Haven Hospital, New Haven, CT, USA (4)

David M. Greer, MD, MA (Principal Investigator); Kimberly Kunze, MSN, RN (Primary Coordinator); Janet R. Halliday, BS, RN (Primary Coordinator, former)

Mayo Clinic Florida, Jacksonville, FL, USA (4)

W. David Freeman, MD (Principal Investigator); Emily Edwards, MS, CCRP (Primary Coordinator); Dale Gamble, MHSc, CCRP; and Sothear Luke, MPH, CCRP (Primary Coordinators, former)

Tampa General Hospital/University of South Florida School of Medicine, Tampa, FL, USA (4)

David Z. Rose, MD (Principal Investigator); Tara McTigue, RN, CCRC (Primary Coordinator)

University of Louisville, Department of Neurology, Louisville, KY, USA (4)

Jignesh J. Shah, MD (Principal Investigator); Kerri S. Remmel, MD, PhD (Principal Investigator, former, now Professor and Chair, Department of Neurology at University of Louisville); Ann Jerde (Primary Coordinator)

Medical College of Wisconsin, Milwaukee, WI, USA (4)

Ann Helms, MD (Principal Investigator); Ling Zhong, PhD (Primary Coordinator); Emon Das, (Primary Coordinator, former)

Colorado Neurological Institute, Englewood, CO, USA (4)

Ira Chang, MD (Principal Investigator); Alicia Novak, PhD; and Laura Greeley (Primary Coordinators); Paula Fisk, BS, CCRP; Ashley Bittner, BS, CCRP; and Lenden Neeper, BS, CCRP(Primary Coordinators, former)

Fairview Southdale Hospital, US (4)

Alexander Y. Zubkov, MD, PhD (Principal Investigator); Abbey Staugaitis, MSN (Primary coordinator); Kathryn France, BA, RN, PHN, CCRC, CCRA; and Kathleen Miller, BSN, CCRC (Primary Coordinators, former)

Penn State Milton S. Hershey Medical Center, Hershey, PA, USA (4)

J. Christopher Zacko, MD (Principal Investigator); Deborah Hoffman, BSN (Primary Coordinator)

Eastern Idaho Regional Medical Center, Idaho Falls, ID, USA (4)

Kenneth E. Krell, MD (Principal Investigator); Erich Garland, MD and Douglas N. Whatmore, MD (Investigators); Amy Thornley, ACNP-BC (Primary Coordinator)

Research Medical Center, Kansas City, MO, USA (4)

Iftekhar Ahmed, MD (Principal Investigator); Sarah Dunalewicz (Coordinator); Jennifer W. Feeback, Amy Akins, Pamela McCann (Primary Coordinators, former)

Tri-Service General Hospital and the National Defense Medical Center, Taiwan (4)

Hsin-I Ma, MD, PhD (Principal Investigator); Pei-Min Hsiao (Primary Coordinator)

University Medical Center Brackenridge, Austin, TX, USA (3)

Jefferson T. Miley, MD (Principal Investigator); Laura Lachance, MA, CCRP (Primary Coordinator)

Rhode Island Hospital, Providence, RI, USA (3)

Lisa H. Merck, MD, MPH (Principal Investigator); Bradford B. Thompson, MD (Co-Principal Investigator); Jena Lerch (Primary Coordinator)

<u>UPMC Presbyterian Hospital</u>, Pittsburgh, PA, USA (3)

Bradley J. Molyneaux, MD, PhD; Clifton W. Callaway, MD, PhD; and Jon C. Rittenberger, MD (Principal Investigators); Sara DiFiore, Pamela Fazio, RN, CNC; and Kara Armbuster, BSN, RN (Primary Coordinators)

<u>Detroit Receiving Hospital</u>, Detroit, MI, USA (3)

Greg M. Norris, MD (Principal Investigator); Wazim Mohamed, MD; and Mohammad S Ibrahim, MD (Investigators); Valerie H. Mika, MS; and Amy Spencer (Primary Coordinators); Cathey Boyer (Primary Coordinator, former)

SUNY Downstate Medical Center/University Hospital of Brooklyn, Brooklyn, NY, USA (3)

Steven R. Levine, MD (Principal Investigator); Bryce Petty (Primary Coordinator); Sarah Z. Weingast, Saroj D. Kunnakkat, Bruhati Shah, Marijayne Bushey, and Vanessa Arnedo (Primary Coordinators, former)

Maine Medical Center, Portland, ME, USA (3)

David B. Seder, MD (Principal Investigator); Richard R. Riker, MD (Investigator); Barbara F. McCrum, RN, BSN (Primary Coordinator)

Sutter Roseville Medical Center, Roseville, CA, USA (3)

Asim Mahmood, MD (Principal Investigator); Michele Guillen (Primary Coordinator); Teresa Carter (Primary Coordinator, former)

University of New Mexico, Albuquerque, NM, USA (3)

Huy Tran, MD (Principal Investigator); Marc Malkoff, MD (Principal Investigator, former); Theresa Wussow, BSSN, RN; and Alice Brown, CNP (Primary Coordinators)

Providence Brain and Spine Institute, Portland, OR, USA (3)

Ted Lowenkopf, MD (Principal Investigator); Monica Rodriguez (Primary Coordinator)

University Hospital Mannheim, Mannheim, Germany (3)

Marc Fatar, MD (Principal Investigator); Kathrin Knoll (Primary Coordinator)

Texas Tech University Health Sciences Center of El Paso, El Paso, TX, USA (2)

Gustavo J. Rodriguez, MD (Principal Investigator); Alberto Maud, MD (Co-Principal Investigator); Elizabeth Ledger (Primary Coordinator)

UCSF Medical Center, San Francisco, CA, USA (2)

Wade Smith, MD, PhD (Principal Investigator); Michelle Meeker, BSN, RN (Primary Coordinator)

University of Kentucky, Lexington, KY, USA (2)

Luther Creed Pettigrew, MD (Principal Investigator); Linda Dechtenberg and Joann Short, RN BSN (Primary Coordinators)

Banner University Medical Center - Tucson Campus, Tuscon, AZ, USA (5)

Kurt Denninghoff, MD (Principal Investigator); Chelsea S. Kidwell, MD (Principal Investigator); Andrew Laine (Primary Coordinator)

Parkview Hospital, Fort Wayne, IN, USA (2)

Rakesh Khatri, MD (Principal Investigator); Jeanne Carroll, RN BA CCRC (Primary Coordinator)

<u>University of Mississippi Medical Center</u>, Jackson, MS, USA (2)

Hartmut Uschmann, MD (Principal Investigator); As'ad Ehtisham, MD, (Principal Investigator, former, currently at Ehtisham Neurovascular Institute, ENVI, PLLC); Marcia Bankston (Primary Coordinator, former)

The Ohio State University - Wexner Medical Center, Columbus, OH, USA (2)

Michel Torbey, MD, MPH (Principal Investigator); Chad Miller, MD (Principal Investigator, former); Réza Behrouz, DO (Principal Investigator, former, currently Associate Professor at the University of Texas Health Science Center - San Antonio); Nirav Patel, MBBS, MPH; (Primary Coordinator); Leonard Basobas (Primary Coordinator, former)

Brigham and Women's Hospital, Boston, MA, USA (2)

Galen Henderson, MD (Principal Investigator); Sherry Chou, MD (Principal Investigator); Sarah Clark and Simone Renault (Primary Coordinators); Gabriela Santos, Sarah Suh, Kristina Lieu, and Ross Merkin (Primary Coordinators, former)

Boston Medical Center, Boston, MA, USA (2)

Joseph D. Burns, MD (Principal Investigator); Helena Lau, MSPH, RN (Primary Coordinator)

Saint Louis University, Saint Louis, MO, USA (2)

Salavador Cruz-Floes, MD (Principal Investigator); Eve M. Holzemer, DNP, ANP-BC; Susan Eller, MA, RN, CCRC; Susan Brown, RN, CCRC (Primary coordinators); and JoAnn Filla-Taylor, BSN, RN, CCRC (Primary Coordinator, former)

Hoag Memorial Hospital Presbyterian, Newport Beach, CA, USA (2)

David Brown, MD (Principal Investigator); Laura Whitaker (Primary Coordinator)

<u>Changhua Christian Hospital</u>, Changhua, Taiwan (2)

Mu-Chien Sun, MD (Principal Investigator); Pi-Ju Hsiao (Primary Coordinator)

University Hospital Leipzig, Leipzig, Germany (2)

Dominik Michalski, MD (Principal Investigator, affiliation Department of Neurology, University of Leipzig); Carsten Hobohm, MD (Principal Investigator); Daniela Urban (Primary Coordinator)

UC Davis Medical Center, Sacramento, CA, USA (1)

Daniel K. Nishijima, MD (Principal Investigator); Glen C. Jickling, MD (Co-Principal Investigator); Laura Beth Jones (Primary Coordinator); Tirath Sanghera, CCRC (Primary Coordinator, former)

University of Florida Gainesville, Gainesville, FL, USA (1)

Anna Khanna, MD (Principal Investigator); Vishnumurthy Shushrutha Hedna, MD (Principal Investigator, former, now at University of New Mexico); Rosie Kizza, RN (Primary Study Coordinator)

Aurora St. Luke's Medical Center, Milwaukee, WI, USA (1)

Elizabeth Marriott, MD (Principal Investigator); Linda Yanny, RN, BSN, CCRC (Primary Coordinator)

Seton Medical Center Austin, Austin, TX, USA (1)

Jefferson T. Miley, MD (Principal Investigator); Laura LaChance, MA, CCRP (Primary Coordinator); Alison M. von Eberstein, PhD, RN, BSN (Primary Coordinator, former, currently at Florida State University School of Information)

UPMC Mercy Hospital, Pittsburgh, PA, USA (1)

Bradley J. Molyneaux, MD, PhD; CliftonW. Callaway, MD, PhD; and Jon C. Rittenberger, MD (Principal Investigators); Sara Difiore (Primary Coordinator)

Emory University Hospital, Atlanta, GA, USA (1)

Gustavo Pradilla, MD (Principal Investigator); Alex J. Hall, MS, RN (Primary Coordinator); and Michael P. Lunney, MPH, NRP (Primary Coordinator, former)

Santa Clara Valley Medical Center, San Jose, CA, USA (1)

Marco Lee, MD, PhD, Dept. of Neurosurgery, Stanford University (Principal Investigator); Anita Visweswaran (Primary Coordinator)

William Beaumont Hospital-Royal Oak, Royal Oak, MI, USA (1)

Robert Swor, DO (Principal Investigator); Mara Branoff, RN, BSN (Primary Coordinator/Research Nurse Clinician)

Akron General Hospital, Akron, OH, USA (1)

James M. Gebel, MD (Principal Investigator); Debra Hudock, MSN (Primary Coordinator)

Saint Luke's Marion Bloch Neuroscience Institute, Kansas City, KS, USA (1)

Darren Lovick, MD (Principal Investigator); Bridget Brion (Primary Coordinator)

United Health Services Hospitals, Inc. - Wilson Medical Center, Johnson City, NY, USA (1)

Yahia M. Lodi, MD (Principal Investigator); Varun Reddy, MD (Investigator); Terri Peters (Primary Coordinator)

Vanderbilt Stroke Center, Nashville, TN, USA (1)

Michael T. Froehler, MD, PhD (Principal Investigator); Howard S. Kirshner, MD (Investigator); Matthew M. Warrick (Primary Coordinator)

Oklahoma University Health Sciences Center (OUHSC), Oklahoma City, OK, USA (1)

Evgeny Sidorov, MD, PhD (Principal Investigator); Akram Shhadeh, MD (Principal Investigator, former); Bradley Hightower (Primary Coordinator)

Kawasaki Medical School, Okayama, Japan (1)

Kazumi Kimura, MD, PhD (Principal Investigator, former, now at Nippon Medical School); Kensaku Shibazaki (Primary Coordinator)

Taipei Veterans Hospital, Taipei, Taiwan (1)

Chang-Ming Chern, MD (Principal Investigator); Chia-Hui Lin and Chia-Wei Lin Hsu (Primary Coordinators)

Department of Neurology at Klinikum Frankfurt Hoechst, Frankfurt, Germany (1)

Thorsten Steiner, MD, MME (Principal Investigator); Corina Epple, MD; Mari-Carmen Lichti, MD; Johannes Trabert; and Anna Katharina Flügel, MD, Department of Internal Medicine, Frankfurt University Hospital (Investigators); Sabrina J. Ritter (Primary Coordinator)

Charite Universitätsmedizin Berlin, Berlin, Germany (1)

Heinrich J. Audebert, MD (Principal Investigator); Mrs. Jadranka Denes (Primary Coordinator)

United States NETT Network Participating Hubs, listed alphabetically

Columbia University Medical Center

Emory University

Henry Ford Health System

Massachusetts General Hospital

Medical College of Wisconsin

Oregon Health & Science University

Stanford University

SUNY Downstate Medical Center

Temple University

The Ohio State University

University of Arizona

University of California San Francisco

University of Cincinnati

University of Kentucky

University of Minnesota

University of Pennsylvania

University of Pittsburgh

University of Texas – Houston

Virginia Commonwealth University

Wayne State University

A directory listing US network hubs, hub PIs, site Principal Investigators and study coordinators affiliated with the Neurological Emergency Treatment Trials (NETT) Network is available online: http://nett.umich.edu/directory

Supplementary description 1 (D1). Summary of interim analyses with overwhelming efficacy and futility assumptions

Herein the summary of the interim analyses from the trial is presented. Note that the DSMB remained blinded to treatment throughout. Thus, we produced conditional power under two scenarios of references. It was not until the third interim analysis when both were below the pre-specified threshold that they recommended stopping the study for futility.

Below is the observed values p-values and conditional power at each of the three interim analyses:

INTERIM ANALYSIS	EFFICACY ASSESSMENT:	FUTILITY ASSESSMENT: CONDITIONAL POWER UNDER CURRENT TREND USING TRT=0 AS REFERENCE USING TRT=1 AS REFERENCE		
SAMPLE	P-VALUE			
N=425	0.5280	42.68%	75.42%	
N=640	0.9516	29.47%	33.75%	
N=850	0.9053	9.11%	4.73%	

The planned interim efficacy analysis per the Statistical Analysis Plan was as follows:

For the interim analyses associated with the primary efficacy analysis, O'Brien and Fleming (1979) stopping boundaries are adopted. Assuming that the two interim analyses occur after approximately 425 (1/3 of 1,280 subjects) and 850 (2/3) subjects have completed the 90-day assessments, the nominal alpha levels to reject the null hypotheses for overwhelming efficacy are as follows:

Table 1. Nominal Alpha Levels for Interim Analysis for Overwhelming Efficacy for Overall Sample with N=1,280

Analysis Order	Number of	Nominal alpha	
Arialysis Order	Subjects	level	
1	<i>4</i> 25	0.0002	
2	850	0.0120	
Final	1,280	0.0463	

Depending upon the DSMB request, additional interim analyses may be conducted. The spending function approach gives flexibility in the timing and frequency of interim analyses. The most current version of the EAST® software (Cytel Corporation) is used as the interim monitoring tool.

At any interim analysis, if we cross the stopping boundary, the DSMB may recommend stopping the study for overwhelming efficacy of one treatment over the other, although the better treatment may not necessarily be the intensive treatment. If and only if the stopping boundary is crossed, prior to making the final decision for recommendation to stop the study, it is expected that the DSMB would request thorough analyses of secondary outcomes and subgroup analyses to confirm the findings of the primary outcome results.

With the addition of the interim analysis at N=640 subjects, the nominal alpha levels to reject the null hypotheses for overwhelming efficacy are altered slightly:

Analysis Order	Number of Subjects	Nominal alpha level
1	425	0.0002
2 (unplanned)	640	0.0030
3	850	0.0112
Final	1,280	0.0463

For assessment of futility, we adopt the stochastic curtailment method based on conditional power. The informal criterion for determination of futility is that at each interim look, if the conditional power (defined as the probability of rejecting the null hypothesis at the final analysis given the data accumulated so far and under the assumption that the alternative is true) falls below, for example, 10% at the first interim analysis and 20% at the second interim analysis (to be determined in consultation with the DSMB prior to the study initiation), then the DSMB may evaluate all study information (such as overall recruitment rate and secondary outcome assessment data) to consider stopping the study for futility. Depending upon the DSMB request, additional interim analyses may be conducted. Note that email correspondence on January 1, 2015 with the DSMB stated "The DSMB wants to use 20% as the C.P. cutoff at the 1/2 and 2/3 enrollment futility analyses."

Supplementary description 2 (D2): Method of multiple imputation used to account for missing data

Imputing values for missing data allows using all randomized subjects' data in the outcome analysis. Hence, it is adherent to the intent to treat principle and preserves the statistical power.

Multiple imputation is a method of imputing missing data that incorporates the uncertainty to the imputed values by generating multiple samples (via a computer simulation) of the study data, each with variable imputed values for the missing data. For the primary outcome analysis of ATACH II Trial, multiple imputation using PROC MI in SAS version 9.4 was used for the imputation of missing data by fully conditional specification methods. Binary variables were imputed using logistic regression and continuous variables using linear regression. A specific seed in the imputation was used for reproducibility; there were 10 burn-in iterations; and the covariates and their specified order for the imputation were age, sex, race (coded as dummy variables for ASIAN, BLACK, OTHER with WHITE as the reference), country (coded as dummy variables for JAPAN, CHINA, TAIWAIN, SOUTH KOREA, GERMANY with US as the reference), Glasgow Coma Scale at randomization (coded as dummy variables for 0-11, 12-14 with 15 as the reference), systolic blood pressure at randomization, presence or absence of intraventricular hemorrhage, time between symptom onset to randomization, treatment assignment, death within 24 hours, baseline hematoma volume, and Glasgow Coma Scale at 24 hours (coded as dummy variables for 0-11, 12-14 with reference as 15). One-hundred imputed datasets were generated by the PROC MI procedure which was then analyzed separately using PROC GENMOD and the results were compiled using PROC MIANALYZE.

Supplementary Table 1 (S1). Baseline and treatment characteristics of subjects according to treatment group.

Characteristics	Intensive treatment n=500	Standard treatment n=500
Prior stroke/transient ischemic attack - number/total number (%)	80/500 (16)	84/500 (16.8)
Other prior nervous system disorders - number/total number (%)	23/500 (4.6)	17/500 (3.4)
History of congestive heart failure - number/total number (%)	16/500 (3.2)	21/500 (4.2)
History of atrial fibrillation - number/total number (%)	20/500 (4)	16/500 (3.2)
Myocardial infarction in the previous 3 months - number/total number (%)	1/500 (0.2)	0/500 (0)
History of coronary artery disease¥ - number/total number (%)	27/500 (5.4)	17/500 (3.4)
History of hypertension - number/total number (%)	411/500 (82.2)	382/500 (76.4)
History of peripheral vascular disease - number/total number (%)	9/500 (1.8)	13/500 (2.6)
History of hyperlipidemia - number/total number (%)	122/500 (24.4)	119/500 (23.8)
History of cardiac dysrhythmias - number/total number (%)	17/500 (3.4)	21/500 (4.2)

History of diabetes mellitus Type 2 - number/total number (%)	92/500 (18.4)	83/500 (16.6)
Previous use of antihypertensive drugs - number/total number (%)	260/496 (52.4)	235/497 (47.3)
Symptom onset to randomization time, minutes (mean± standard deviation)	182.2±57.2	184.7±56.7
Symptom onset to nicardipine infusion time ¹ , minutes (mean± standard deviation)	149±65	165.3±101.3
Mean minimum systolic blood pressure, during the first 2 hours post randomization ² , mm Hg - mean ± standard deviation	128.9±16	141.1±14.8
Failure to attain systolic blood pressure target within 2 hours - number/total number (%)	61/500 (12.2)	4/500 (0.8)
Failure to attain systolic blood pressure target for 2 consecutive hours during 2-24 hours - number/total number (%)	78/500 (15.6)	7/500 (1.4)

¹²⁴ subjects missing (3 in intensive treatment arm, 21 in standard treatment arm).

²3 subjects missing (in standard treatment arm).

Supplementary Table 2 (S2): Adverse events among subjects according to treatment group.

	Intensive	e Treatment	Standard	d Treatment
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Abdominal abscess	0	0	1	1
Abdominal discomfort	1	1	0	0
Abdominal pain	0	0	3	2
Abscess limb	1	1	0	0
Abscess oral	1	1	0	0
Activated partial thromboplastin time prolonged	0	0	1	1
Acute coronary syndrome	1	1	0	0
Acute myocardial infarction	0	0	2	2
Acute pulmonary oedema	1	1	0	0
Acute respiratory distress syndrome	0	0	1	1
Acute respiratory failure	1	1	4	4
Administration site reaction	1	1	0	0
Agitation	14	13	7	6
Alcohol withdrawal syndrome	1	1	1	1
Alkalosis	0	0	1	1
Altered state of consciousness	1	1	0	0
Amnesia	1	1	1	1
Anaemia	9	9	5	5

	Intensive Treatment		Standard	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Angioedema	1	1	0	0	
Angiopathy	1	1	0	0	
Anxiety	3	3	0	0	
Aortic stenosis	1	1	0	0	
Aphasia	1	1	0	0	
Arteriosclerosis	1	1	0	0	
Arteriovenous fistula	1	1	1	1	
Arthralgia	1	1	1	1	
Arthritis	0	0	2	2	
Aspiration	3	3	0	0	
Asthenia	0	0	1	1	
Atelectasis	3	3	2	2	
Atrial fibrillation	9	8	2	2	
Atrioventricular block complete	1	1	0	0	
Atrioventricular block second degree	1	1	0	0	
Axillary vein thrombosis	0	0	1	1	
Back pain	3	3	3	3	
Bacteraemia	2	2	1	1	
Benign prostatic hyperplasia	1	1	0	0	
Bladder cancer	1	1	0	0	

	Intensive	e Treatment	Standard	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Blister	0	0	1	1	
Blood albumin decreased	1	1	1	1	
Blood bilirubin increased	0	0	1	1	
Blood calcium decreased	1	1	0	0	
Blood chloride abnormal	1	1	0	0	
Blood chloride increased	2	2	0	0	
Blood cholesterol increased	0	0	1	1	
Blood creatinine abnormal	0	0	1	1	
Blood creatinine decreased	1	1	0	0	
Blood creatinine increased	6	6	3	3	
Blood lactate dehydrogenase increased	1	1	0	0	
Blood phosphorus decreased	0	0	1	1	
Blood potassium decreased	1	1	1	1	
Blood pressure decreased	0	0	1	1	
Blood pressure diastolic increased	0	0	1	1	
Blood pressure increased	0	0	1	1	
Blood sodium increased	1	1	0	0	
Blood urea decreased	1	1	0	0	
Blood urea increased	2	2	3	3	
Blood urine present	0	0	1	1	

	Intensive	e Treatment	Standard	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Body temperature increased	0	0	1	1	
Bradycardia	3	3	5	5	
Brain herniation	2	2	2	2	
Brain oedema	8	8	3	3	
Brain stem infarction	0	0	1	1	
Breast cancer	1	1	0	0	
Breast mass	1	1	0	0	
Bronchopneumonia	0	0	1	1	
Bundle branch block left	1	1	0	0	
C-reactive protein increased	1	1	0	0	
CNS ventriculitis	0	0	1	1	
Cardiac arrest	4	4	2	2	
Cardiac failure	2	2	1	1	
Cardiac failure acute	0	0	1	1	
Cardiac failure congestive	2	2	1	1	
Cardiac murmur	1	1	0	0	
Cardio-respiratory arrest	0	0	4	4	
Cardiopulmonary failure	1	1	0	0	
Catheter site pain	0	0	1	1	
Cellulitis	6	6	5	5	

	Intensive Treatment		Standard	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Cerebral haematoma	2	2	7	7	
Cerebral haemorrhage	2	2	2	2	
Cerebral infarction	1	1	1	1	
Cerebrovascular accident	22	21	24	23	
Cerebrovascular disorder	0	0	1	1	
Chest discomfort	2	2	0	0	
Chest pain	3	3	4	4	
Chills	1	1	1	1	
Cholecystitis	2	1	1	1	
Cholecystitis acute	1	1	1	1	
Cholecystitis infective	0	0	1	1	
Chronic obstructive pulmonary disease	4	3	0	0	
Circulatory collapse	2	2	0	0	
Clostridial infection	1	1	4	4	
Clostridium difficile colitis	1	1	0	0	
Cognitive disorder	1	1	0	0	
Coma	0	0	1	1	
Coma scale abnormal	0	0	1	1	
Confusional state	1	1	1	1	
Consciousness fluctuating	1	1	1	1	

	Intensive	Intensive Treatment		Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Constipation	25	25	25	25	
Contusion	1	1	0	0	
Convulsion	5	5	10	10	
Cough	0	0	1	1	
Cranioplasty	0	0	2	2	
Craniotomy	0	0	1	1	
Cyst aspiration	0	0	1	1	
Dacryocystitis	1	1	0	0	
Deafness unilateral	0	0	1	1	
Death	1	1	1	1	
Decubitus ulcer	4	4	2	2	
Deep vein thrombosis	4	4	9	9	
Dehydration	2	2	1	1	
Delirium	8	8	7	7	
Delirium tremens	1	1	0	0	
Depressed level of consciousness	3	3	1	1	
Depressed mood	1	1	0	0	
Depression	4	4	1	1	
Dermatitis contact	0	0	2	2	
Device related infection	1	1	0	0	

	Intensive Treatment		Standard	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Diarrhoea	6	6	2	2	
Diastolic dysfunction	1	1	0	0	
Diplopia	0	0	3	2	
Dizziness	0	0	1	1	
Drug eruption	1	1	1	1	
Drug withdrawal syndrome	1	1	0	0	
Dry skin	1	1	0	0	
Dyslipidaemia	3	3	0	0	
Dysmenorrhoea	0	0	1	1	
Dyspepsia	0	0	2	1	
Dysphagia	7	7	6	6	
Dyspnoea	5	5	0	0	
Dysuria	3	3	2	2	
Eczema	0	0	1	1	
Electrocardiogram ST segment depression	0	0	1	1	
Electrolyte imbalance	7	7	5	5	
Embolic cerebral infarction	1	1	0	0	
Embolic stroke	0	0	1	1	
Encephalopathy	1	1	1	1	
Endotracheal intubation	0	0	1	1	

MedDRA Preferred Term	Intensive Treatment		Standard Treatment	
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Enteritis infectious	1	1	0	0
Enterocolitis viral	1	1	0	0
Epilepsy	1	1	2	2
Epistaxis	1	1	0	0
Erysipelas	0	0	1	1
Erythema	0	0	1	1
Excoriation	2	2	0	0
Extradural haematoma	2	2	0	0
Extrasystoles	1	1	0	0
Fall	6	6	6	6
Fatigue	1	1	0	0
Femoral neck fracture	1	1	0	0
Femur fracture	0	0	2	2
Flatulence	0	0	1	1
Fluid overload	1	1	0	0
Gastric occult blood positive	1	1	0	0
Gastrointestinal haemorrhage	2	2	0	0
Gastrostomy tube insertion	0	0	1	1
Generalised erythema	0	0	1	1
Glomerular filtration rate increased	1	1	0	0

MedDRA Preferred Term	Intensive	Intensive Treatment Standard Treatment		d Treatment
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Glycosylated haemoglobin increased	0	0	1	1
Gout	1	1	3	3
Haematemesis	2	2	1	1
Haematocrit decreased	1	1	0	0
Haematoma	1	1	0	0
Haematuria	4	4	0	0
Haemoglobin decreased	2	2	1	1
Haemorrhage	1	1	3	3
Haemorrhage intracranial	12	11	6	6
Haemorrhage subcutaneous	0	0	2	2
Haemorrhagic anaemia	1	1	1	1
Haemorrhagic infarction	1	1	0	0
Haemorrhagic stroke	1	1	0	0
Hallucination	2	2	0	0
Headache	18	17	25	22
Hemiplegia	0	0	1	1
Hepatic cirrhosis	0	0	1	1
Hepatic cyst	1	1	0	0
Hepatic enzyme increased	1	1	1	1
Hepatic function abnormal	3	3	5	4

MedDRA Preferred Term	Intensive	e Treatment	Standard Treatment	
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Hepatic steatosis	1	1	0	0
Hydrocephalus	12	12	8	8
Hydronephrosis	1	1	0	0
Hyperbilirubinaemia	1	1	0	0
Hypercapnia	1	1	0	0
Hyperchloraemia	1	1	1	1
Hyperglycaemia	7	7	3	3
Hyperhomocysteinaemia	5	5	4	4
Hyperkalaemia	3	3	5	5
Hyperlipidaemia	4	4	6	6
Hypermagnesaemia	2	2	0	0
Hypernatraemia	10	10	11	11
Hyperphosphataemia	0	0	2	2
Hypersensitivity	3	3	1	1
Hypertension	6	6	7	6
Hypertensive crisis	1	1	0	0
Hypertensive emergency	1	1	0	0
Hypervolaemia	1	1	0	0
Hypoaesthesia	0	0	2	2
Hypoalbuminaemia	5	5	0	0

MedDRA Preferred Term	Intensive Treatment		Standard Treatment	
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Hypocalcaemia	7	7	10	10
Hypoglycaemia	2	2	1	1
Hypokalaemia	39	38	32	28
Hypomagnesaemia	4	4	2	2
Hyponatraemia	7	7	17	16
Hypophosphataemia	9	9	8	8
Hypoproteinaemia	0	0	1	1
Hypotension	7	7	4	4
Hypovolaemia	1	1	0	0
Нурохіа	1	1	3	3
Illrd nerve paralysis	0	0	1	1
lleus	0	0	2	2
lleus paralytic	1	1	1	1
Incontinence	1	1	1	1
Infection	1	1	0	0
Insomnia	1	1	2	2
Intracranial aneurysm	0	0	1	1
Intracranial haematoma	3	3	3	3
Intracranial pressure increased	2	1	2	2
Intraventricular haemorrhage	3	3	1	1

MedDRA Preferred Term	Intensive Treatment		Standard Treatment	
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Ischaemia	0	0	1	1
Ischaemic cerebral infarction	1	1	0	0
Ischaemic stroke	2	2	2	2
Laboratory test abnormal	1	1	2	2
Laceration	1	1	1	1
Left ventricular hypertrophy	1	1	0	0
Lethargy	1	1	0	0
Leukocytosis	13	13	2	2
Leukopenia	0	0	1	1
Liver disorder	4	4	1	1
Liver function test abnormal	3	3	3	2
Loss of consciousness	1	1	0	0
Lung infection	14	14	16	14
Macular oedema	0	0	1	1
Meningitis	3	2	0	0
Mental impairment	4	4	1	1
Mental status changes	2	2	6	6
Metabolic acidosis	0	0	2	2
Metastasis	1	1	0	0
Monocyte count increased	1	1	0	0

MedDRA Preferred Term	Intensive	e Treatment	Standard Treatment	
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Muscle spasms	0	0	3	3
Muscular weakness	0	0	2	2
Musculoskeletal pain	2	2	0	0
Myocardial infarction	1	1	1	1
Myocardial ischaemia	1	1	0	0
Nasal congestion	1	1	0	0
Nausea	8	8	7	7
Necrotising colitis	1	1	0	0
Nephropathy	1	1	0	0
Neurogenic bladder	1	1	0	0
Neurological decompensation	26	26	12	12
Neurological symptom	1	1	0	0
Neutrophil count increased	1	1	0	0
Occult blood positive	1	1	0	0
Oedema peripheral	3	3	0	0
Oliguria	1	1	0	0
Oral candidiasis	0	0	1	1
Ovarian cyst	1	1	0	0
Oxygen saturation decreased	3	3	0	0
PO2 decreased	0	0	1	1

MedDRA Preferred Term	Intensive	e Treatment	Standard Treatment	
	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Pain	4	4	1	1
Pain in extremity	0	0	2	2
Pancreatitis	1	1	0	0
Paraesthesia	0	0	1	1
Partial seizures	1	1	5	4
Pharyngitis	0	0	1	1
Phlebitis	17	17	18	18
Platelet count decreased	0	0	1	1
Pleural effusion	2	2	0	0
Pneumocephalus	0	0	2	1
Pneumonia	29	27	17	16
Pneumonia aspiration	32	30	20	20
Pneumonia pneumococcal	1	1	0	0
Pneumonia staphylococcal	1	1	0	0
Pneumothorax traumatic	0	0	1	1
Pollakiuria	1	1	0	0
Polyarthritis	0	0	1	1
Post transfusion purpura	0	0	1	1
Presyncope	1	1	1	1
Procalcitonin increased	1	1	0	0

	Intensive	e Treatment	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Pruritus	0	0	1	1
Psychotic disorder	1	1	0	0
Pulmonary congestion	1	1	0	0
Pulmonary embolism	4	4	3	3
Pulmonary oedema	2	2	2	2
Pulseless electrical activity	1	1	0	0
Pyelonephritis chronic	1	1	0	0
Pyrexia	33	31	42	41
Rash macular	0	0	1	1
Rectal cancer	1	1	0	0
Renal cyst	0	0	1	1
Renal failure	3	3	2	2
Renal failure acute	17	17	7	7
Renal failure chronic	1	1	0	0
Renal function test abnormal	0	0	1	1
Renal impairment	6	6	3	3
Renal injury	0	0	1	1
Respiratory arrest	1	1	0	0
Respiratory distress	3	3	3	3
Respiratory failure	10	10	11	11

	Intensive	e Treatment	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Respiratory rate increased	1	1	0	0
Respiratory tract infection	0	0	1	1
Restlessness	2	2	2	2
Retinal degeneration	1	1	0	0
Retinopathy hypertensive	1	1	0	0
Rheumatoid arthritis	0	0	1	1
Schizophrenia, paranoid type	1	1	0	0
Scleral oedema	0	0	1	1
Seizure like phenomena	0	0	1	1
Sepsis	1	1	4	4
Septic shock	1	1	0	0
Sinus bradycardia	0	0	1	1
Sinus tachycardia	1	1	1	1
Sinusitis	1	1	0	0
Skin disorder	1	1	0	0
Skin fissures	0	0	1	1
Sleep apnoea syndrome	2	2	2	2
Sleep disorder	4	4	2	2
Small intestinal obstruction	0	0	1	1
Somnolence	1	1	3	3

	Intensive	e Treatment	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Speech disorder	0	0	1	1
Sputum culture positive	0	0	1	1
Sputum increased	0	0	1	1
Staphylococcal infection	1	1	0	0
Stereotactic surgery	0	0	1	1
Streptococcus test positive	0	0	1	1
Stress ulcer	3	3	3	3
Stroke in evolution	1	1	1	1
Subarachnoid haemorrhage	0	0	1	1
Subdural haematoma	1	1	0	0
Subdural haematoma evacuation	1	1	0	0
Subdural hygroma	0	0	1	1
Supraventricular tachycardia	3	3	0	0
Syncope	2	2	0	0
Tachycardia	9	8	8	8
Tachypnoea	0	0	1	1
Thrombocytopenia	1	1	4	4
Thrombophlebitis superficial	0	0	2	2
Tongue oedema	0	0	1	1
Tonsillitis	1	1	0	0

	Intensive	e Treatment	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Tracheobronchitis	1	1	0	0
Transient ischaemic attack	0	0	1	1
Tremor	2	2	0	0
Troponin I increased	1	1	3	2
Troponin increased	7	6	3	3
Upper gastrointestinal haemorrhage	2	2	4	4
Upper respiratory tract infection	1	1	0	0
Ureteric obstruction	1	1	1	1
Urethral stenosis	1	1	0	0
Urinary incontinence	0	0	1	1
Urinary retention	1	1	4	4
Urinary tract infection	21	21	24	24
Urinary tract infection fungal	1	1	0	0
Urine output decreased	6	6	0	0
Urosepsis	3	3	0	0
Urticaria	1	1	0	0
Vasogenic cerebral oedema	1	1	0	0
Vena cava thrombosis	1	1	0	0
Venous thrombosis	0	0	2	2
Venous thrombosis limb	2	2	0	0

	Intensive Treatment		Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Ventricular extrasystoles	3	3	1	1
Ventricular hypertrophy	0	0	1	1
Ventricular tachycardia	3	3	0	0
Vertigo	1	1	0	0
Vision blurred	0	0	1	1
Vitamin B12 deficiency	1	1	0	0
Vomiting	13	13	11	11
Wheezing	1	1	1	1
White blood cell count increased	4	4	3	3

Supplementary Table 3 (S3): Serious adverse events among subjects according to treatment group.

	Intensive	Intensive Treatment		Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Abdominal abscess	0	0	1	1	
Abdominal pain	0	0	2	1	
Abscess oral	1	1	0	0	
Acute coronary syndrome	1	1	0	0	
Acute myocardial infarction	0	0	1	1	
Acute pulmonary oedema	1	1	0	0	
Acute respiratory failure	0	0	4	4	
Alcohol withdrawal syndrome	1	1	0	0	
Angioedema	1	1	0	0	
Angiopathy	1	1	0	0	
Aphasia	1	1	0	0	
Arteriovenous fistula	1	1	0	0	
Aspiration	1	1	0	0	
Asthenia	0	0	1	1	
Atrial fibrillation	2	2	0	0	
Back pain	0	0	1	1	
Bladder cancer	1	1	0	0	
Blood creatinine increased	0	0	1	1	
Bradycardia	2	2	0	0	

	Intensive	Treatment	Standard Treatment		
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Brain herniation	2	2	2	2	
Brain oedema	3	3	2	2	
Breast cancer	1	1	0	0	
CNS ventriculitis	0	0	1	1	
Cardiac arrest	4	4	2	2	
Cardiac failure	0	0	1	1	
Cardiac failure acute	0	0	1	1	
Cardiac failure congestive	1	1	1	1	
Cardio-respiratory arrest	0	0	4	4	
Cerebral haematoma	1	1	6	6	
Cerebral haemorrhage	0	0	1	1	
Cerebrovascular accident	17	17	19	19	
Cerebrovascular disorder	0	0	1	1	
Chest pain	0	0	2	2	
Cholecystitis	2	1	0	0	
Cholecystitis acute	1	1	1	1	
Cholecystitis infective	0	0	1	1	
Chronic obstructive pulmonary disease	4	3	0	0	
Circulatory collapse	2	2	0	0	
Clostridial infection	1	1	1	1	

	Intensive	Treatment	ent Standard Treatment		
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects	
Convulsion	1	1	3	3	
Cranioplasty	0	0	2	2	
Cyst aspiration	0	0	1	1	
Death	1	1	1	1	
Deep vein thrombosis	3	3	4	4	
Dehydration	2	2	1	1	
Depressed level of consciousness	2	2	0	0	
Depression	1	1	1	1	
Device related infection	1	1	0	0	
Drug eruption	1	1	0	0	
Drug withdrawal syndrome	1	1	0	0	
Dyspnoea	1	1	0	0	
Embolic cerebral infarction	1	1	0	0	
Embolic stroke	0	0	1	1	
Enteritis infectious	1	1	0	0	
Epilepsy	0	0	1	1	
Extradural haematoma	2	2	0	0	
Fall	1	1	0	0	
Femoral neck fracture	1	1	0	0	
Femur fracture	0	0	2	2	

	Intensive	Intensive Treatment		Treatment
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Gastrointestinal haemorrhage	2	2	0	0
Haematuria	1	1	0	0
Haemorrhage	1	1	2	2
Haemorrhage intracranial	3	3	3	3
Haemorrhagic anaemia	0	0	1	1
Haemorrhagic infarction	1	1	0	0
Haemorrhagic stroke	1	1	0	0
Hemiplegia	0	0	1	1
Hepatic function abnormal	0	0	1	1
Hydrocephalus	7	7	4	4
Hyperkalaemia	1	1	0	0
Hypertension	3	3	1	1
Hypertensive crisis	1	1	0	0
Hypertensive emergency	1	1	0	0
Hypoaesthesia	0	0	1	1
Hyponatraemia	1	1	1	1
Hypotension	1	1	1	1
Hypoxia	0	0	1	1
lleus paralytic	0	0	1	1
Intracranial pressure increased	2	1	0	0

	Intensive Treatment		Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Ischaemia	0	0	1	1
Ischaemic cerebral infarction	1	1	0	0
Ischaemic stroke	2	2	2	2
Leukocytosis	1	1	0	0
Liver function test abnormal	1	1	0	0
Lung infection	0	0	2	2
Meningitis	1	1	0	0
Mental impairment	2	2	1	1
Mental status changes	0	0	2	2
Metastasis	1	1	0	0
Myocardial infarction	0	0	1	1
Myocardial ischaemia	1	1	0	0
Necrotising colitis	1	1	0	0
Neurological decompensation	18	18	9	9
Oxygen saturation decreased	1	1	0	0
Pancreatitis	1	1	0	0
Paraesthesia	0	0	1	1
Partial seizures	1	1	1	1
Pleural effusion	1	1	0	0
Pneumonia	9	9	5	5

	Intensive	Intensive Treatment		I Treatment
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Pneumonia aspiration	9	9	5	5
Pneumonia staphylococcal	1	1	0	0
Pneumothorax traumatic	0	0	1	1
Pulmonary embolism	4	4	3	3
Pulmonary oedema	0	0	1	1
Pulseless electrical activity	1	1	0	0
Pyrexia	1	1	2	2
Rectal cancer	1	1	0	0
Renal failure	1	1	1	1
Renal failure acute	4	4	2	2
Renal failure chronic	1	1	0	0
Respiratory arrest	1	1	0	0
Respiratory distress	2	2	1	1
Respiratory failure	10	10	8	8
Respiratory rate increased	1	1	0	0
Schizophrenia, paranoid type	1	1	0	0
Sepsis	1	1	4	4
Septic shock	1	1	0	0
Small intestinal obstruction	0	0	1	1
Somnolence	1	1	1	1

	Intensive	Treatment	Standard Treatment	
MedDRA Preferred Term	Number of Events	Number of Subjects	Number of Events	Number of Subjects
Stroke in evolution	1	1	1	1
Subdural haematoma	1	1	0	0
Subdural haematoma evacuation	1	1	0	0
Subdural hygroma	0	0	1	1
Syncope	1	1	0	0
Tachycardia	0	0	1	1
Transient ischaemic attack	0	0	1	1
Upper gastrointestinal haemorrhage	1	1	0	0
Ureteric obstruction	1	1	1	1
Urethral stenosis	1	1	0	0
Urinary tract infection	1	1	0	0
Urosepsis	3	3	0	0

Supplementary Table 4 (S4): Results of analysis performed after grouping the related events (events that represent the same condition of interest by body system) classified using Medical Dictionary for Regulatory Activities (MedDRA) terminology terms.

	Intensive treatment N (%)	Standard treatment N (%)	Unadjusted RR (95% CI)	Adjusted RR (95% CI)‡
Serious renal AE within 7 days	4 (0.8%)	1 (0.2%)	4.00 (0.45, 35.79) p= 0.2150	4.50 (0.50, 40.65) p= 0.1804
Serious renal AE within 30 days	5 (1.0%)	4 (0.8%)	1.25 (0.34, 4.65) p= 0.7394	1.45 (0.38, 5.54) p= 0.5905
Serious renal AE greater than 30 days	1 (0.2%)	0 (0.0%)	NE [*]	NE [*]
Any renal AE within 7 days	45 (9.0%)	20 (4.0%)	2.25 (1.33, 3.81) p= 0.0025	2.32 (1.37, 3.94) p= 0.0018
Serious cardiac AE within 7 days	11 (2.2%)	7 (1.4%)	1.57 (0.61, 4.05) p= 0.3499	1.66 (0.64, 4.28) p= 0.2988
Serious cardiac AE within 30 days	13 (2.60%)	10 (2.00%)	1.30 (0.57, 2.96) p= 0.5328	1.37 (0.60, 3.14) p= 0.4527
Serious cardiac AE greater than 30 days	7 (1.40%)	5 (1.00%)	1.40 (0.44, 4.41) p= 0.5655	1.50 (0.48, 4.75) p= 0.4880
Any cardiac AE within 7 days	57 (11.4%)	42 (8.4%)	1.36 (0.91, 2.02) p= 0.1332	1.40 (0.94, 2.08) p= 0.1004
Serious brain hemorrhage AE within 7 days	19 (3.8%)	26 (5.2%)	0.73 (0.40, 1.32) p= 0.2987	0.72 (0.40, 1.30) p= 0.2698
Serious brain hemorrhage AE within 30 days	22 (4.4%)	29(5.8%)	0.76 (0.44, 1.32) p= 0.3285	0.75 (0.43, 1.31) p= 0.3114
Serious brain hemorrhage AE greater than 30 days	2 (0.4%)	1 (0.2%)	2.00 (0.18, 22.06) p= 0.5714	2.15 (0.19, 24.02) p= 0.5340
Any brain hemorrhage AE within 7 days	39 (7.8%)	40 (8.0%)	0.98 (0.63, 1.52) p= 0.9104	0.98 (0.63, 1.52) p= 0.9192
Serious brain infarction AE within 7 days	4 (0.8%)	0 (0.0%)	NE [*]	NE [*]
Serious brain infarction AE within 30 days	4 (0.8%)	1 (0.2%)	4.0 (0.45, 35.79) p= 0.2150	3.63 (0.41, 32.55) p= 0.2488
Serious brain infarction AE greater than 30 days	0 (0.0%)	3 (0.6%)	NE [*]	NE [*]

Any brain infarction AE within 7 days	5 (1.0%)	1 (0.2%)	5.00 (0.58, 42.80)	5.16 (0.60, 44.39)
,	(=:070)	_ (0.2/0)	p= 0.1418	p= 0.1348

‡Analysis adjusted for age, baseline Glasgow Coma Scale, and presence/absence of intraventricular hemorrhage at baseline. Abbreviations used: RR, relative risk; CI, confidence interval.

Adverse events' reporting was mandatory up to day 7 or discharge, which ever came first.

^{*} Some of the adjusted analyses resulted in convergence issues due to the small numbers of events and thus the estimates were not estimable (NE).

The adverse events that were deemed indicative of a renal event were:

MEDDRA PREFERRED TERM	MEDDRA CODE
Glomerular filtration rate increased	10018359
Blood urea decreased	10005850
Urinary retention	10046555
Renal function test abnormal	10061480
Renal failure acute	10038436
Renal failure chronic	10038444
Blood urea increased	10005851
Urine output decreased	10059895
Blood creatinine increased	10005483
Renal failure	10038435
Hypervolaemia	10020919
Renal impairment	10062237
Fluid overload	10016803
Renal injury	10061481
Blood creatinine decreased	10005482
Blood creatinine abnormal	10005481
Hypovolaemia	10021137
Hydronephrosis	10020524

The adverse events that were deemed indicative of a cardiac event were:

MEDDRA PREFERRED TERM	MEDDRA CODE
Tachycardia	10043071
Acute myocardial infarction	10000891
Hypotension	10021097
Chest pain	10008479
Myocardial ischaemia	10028600
Ventricular tachycardia	10047302
Bradycardia	10006093
Troponin increased	10058267
Hypertension	10020772
Ventricular hypertrophy	10047295
Atrial fibrillation	10003658
Cardiac murmur	10007586
Electrocardiogram ST segment depression	10014391
Angiopathy	10014331
Myocardial infarction	10033243
Cardiac failure	10020550
Chest discomfort	10008469
Sinus tachycardia	10040752
Ventricular extrasystoles	10047289
Supraventricular tachycardia	10042604
Cardiac failure congestive	10007559
Blood pressure increased	10005750
Left ventricular hypertrophy	10049773
Sinus bradycardia	10040741
Circulatory collapse	10009192
Extrasystoles	10015856
Hypertensive emergency	10058179

Cardiac arrest	10007515
Cardio-respiratory arrest	10007617
Atrioventricular block second degree	10003677
Pulseless electrical activity	10058151
Diastolic dysfunction	10052337
Cardiac failure acute	10007556
Bundle branch block left	10006580
Troponin I increased	10058268
Blood pressure diastolic increased	10005739
Atrioventricular block complete	10003673
Aortic stenosis	10002906
Blood pressure decreased	10005734
Acute coronary syndrome	10051592
Hypertensive crisis	10020802
Cardiopulmonary failure	10051093


The adverse events that were deemed indicative of any brain infarction were:

MEDDRA PREFERRED TERM	MEDDRA CODE
Brain stem infarction	10006147
Cerebral infarction	10008118
Ischaemic cerebral infarction	10060840
Embolic stroke	10014498
Embolic cerebral infarction	10060839
Ischaemia	10061255
Ischaemic stroke	10061256

The adverse events that were deemed indicative of any brain hemorrhage were:

MEDDRA PREFERRED TERM	MEDDRA CODE
Cerebral haemorrhage	10008111
Cerebrovascular accident	10008190
Extradural haematoma	10015769
Haemorrhage intracranial	10018985
Haemorrhagic infarction	10019013
Haemorrhagic stroke	10019016
Intraventricular haemorrhage	10022840
Subarachnoid haemorrhage	10042316
Subdural haematoma	10042361
Cerebral haematoma	10053942
Haemorrhage	10055798
Intracranial haematoma	10059491

Supplementary Figure 1, The CONSORT Flow diagram to demonstrate progress through the phases of the trial



^{*10} subjects in intensive group and 20 in standard group have time from onset to nicardipine infusion longer than 4.5 hours